| Ref<br># | Hits    | Search Query                                  | DBs   | Default<br>Operator | Plurals | Time Stamp       |
|----------|---------|---|---|---------------------|---------|------------------|
| L1       | 7967    | DMAC  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2005/09/08 10:48 |
| L2       | 1110    | ((710/22.CCLS.)(710/308.CCLS.)).<br>CCLS.     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2005/09/08 10:48 |
| L3       |         | 1 near descriptor                             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2005/09/08 10:48 |
| L4       | 46      | 1 with descriptor                             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2005/09/08 10:48 |
| L5 .     | 1080790 | descriptor or tag or flag or label or address | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2005/09/08 11:36 |
| L6       | 1315386 | branch jump loop goto                         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2005/09/08 10:50 |
| L7       | 4259166 | bit byte field tag header flag                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2005/09/08 10:50 |
| L8       | 779     | 1 with 5                                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2005/09/08 10:50 |

| L9  | 247     | 8 with (6 or 7)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/09/08 10:53 |
|-----|---------|--|---|----|-----|------------------|
| L10 | 30      | 2 and 9  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/09/08 10:55 |
| L11 | 925104  | target recieve destination                             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/09/08 11:14 |
| L12 | 384     | 8 and 11   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/09/08 11:14 |
| L13 | 3572401 | source send origin                                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/09/08 11:24 |
| L14 | 445     | 8 and 13   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/09/08 11:23 |
| L15 | 4407148 | source send origin start begin                         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/09/08 11:25 |
| L16 | 5390746 | buffer register field bits memory<br>(linked adj list) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/09/08 11:29 |

| L18 | 2129087 | 15 and 16                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/09/08 11:31 |
|-----|---------|--------------------------------|---|----|-----|------------------|
| L19 | 1104    | 2 and 16                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/09/08 11:31 |
| L20 | 4259166 | bit byte field tag header flag | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/09/08 11:45 |
| L21 | 1070    | 19 and 20                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/09/08 11:45 |
| L22 | 120     | 1 and 21                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/09/08 11:46 |